



For further information, Please contact :



Animax Pharma Pvt. Ltd.

120, First Floor, RG Mall, Sector-9,
Rohini, New Delhi-110085

E mail : animaxpharma@gmail.com

Website : www.animaxpharma.in

Customer Care No. : 09891321775

1234567890

**Product Information
Booklet-2024**

VISION AND VALUES

In this enlightened environment, there is a growing awareness about Animal Healthcare world over. Animax Pharma is in the service of Animal Healthcare and aims at making valuable contributions to the increasing consciousness for the wellbeing of Animals by providing Nutritional & Growth Promoting Products of excellent therapeutic value.

INDEX

PHILOSOPHY

Animax Pharma is a system driven Company with a contemporary approach. It strongly believes in providing superior Customers Services to its valuable Customers. To the employees, apart from rich remuneration, it provides excellent work environment and empowers the people for enhancing their effectiveness and advancement in career. Thus it provides unlimited opportunities to earn, learn and grow. In addition to this it provides work culture that facilitates people to follow corruption free practices and operate with ethics and moral values. Hence it continues to operate on the sound principles of Management.

THERAPEUTIC GROUPS.....	1-2
DIGESTIVE DISORDERS ANTHELMINTICS.....	3
MINWORM SUSPENSION.....	4
MINFLUKE-DS BOLUS.....	5
MINFLUKE-DS SUSPENSION.....	6
VITAMINS & MINERAL SUPPLEMENTS : VITAMINS.....	7
MICROTONE LIQUID.....	8
MICROTONE INJECTION.....	9
MICROTONE PLUS INJECTION.....	10
UDDER-H INJECTION.....	11
UDDER-H LIQUID.....	12
UDDER-H GOLD LIQUID.....	13
VITAMINS & MINERAL SUPPLEMENTS : MINERALS	14
BIOBION GOLD POWDER.....	15
GOLDPHOS GRANULES.....	16
CHELEMIN FORTE.....	17
MINFERLIV.....	18
GALACTO-GOGUE.....	19
SIMLAGI BOLUS.....	20
SIMLAGI HERBS BOLUS.....	21-22
SIMLAGI INJECTION.....	23
GROWTH & SEXUAL MATURITY.....	24
PUBERAID POWDER.....	25
GYNAECOLOGICAL CONDITIONS.....	26
UTRAWIN LIQUID	27-28
UTRAWIN-OZ	29
GESTAPROGEN POWDER.....	30
ANTI-INFLAMMATORY & ANALGESICS.....	31
ANISONE INJECTION.....	32
NPC FORTE BOLUS.....	33
APPETITE STIMULANT & ENERGISER	34
DIGAMAX POWDER.....	35
DIGAMAX FORTE BOLUS	36
ENERBOOST POWDER.....	37
ORS POWDER.....	38
COOLMAX POWDER.....	39
CELLULAR REJUVENATOR.....	40
NUCLEOTONE POWDER.....	41
TOXIN ELIMINATOR.....	42
TOXOUT POWDER.....	43
ANTIBIOTIC.....	44
BENZAWIN INJECTION.....	45
CONSIGNEE AGENTS	46

Therapeutic Groups

Digestive Disorders

Anthelmintics

- Minworm Suspension
- Minfluke-DS Bolus
- Minfluke-DS Suspension

Vitamins & Mineral Supplements

Vitamins

- Microtone Liquid
- Microtone Injection
- Microtone Plus Injeciton
- Udder-H Injection
- Udder-H Liquid
- Udder-H Gold Liquid

Minerals

- Biobion Gold Powder
- Goldphos Granules
- Chelemin Forte Powder
- Minferliv Liquid

Galacto-gogue

- Simlage Bolus
- Simlage Herbs Bolus
- Simlage Injection

Growth & Sexual Maturity

- Puberaid Powder

Gynaecological Conditions

- Utrawin Liquid
- Utrawin-OZ
- Gestaprogen Powder

Anti-inflammatory & Analgesics

- Anisone Injection
- NPC Forte Bolus

Appetite Stimulant & Energiser

- Digamax Powder
- Digamax Forte Bolus
- Enerboost Powder

ORS Powder

- Coolmax Powder

Cellular Rejuvenator

- Nucleotone Powder

Toxin Eliminator

- Toxout Powder

Antibiotic

- Benzawin Injection

MINWORM

SUSPENSION

Each 5 ml provides :

Albendazole	200 mg
Ivermectin	10 mg

Digestive Disorders
Anthelmintics

INDICATIONS :

- Helminthiasis – Worm infestation
 - o Nematodes / Roundworms like
 - ✕ Ascaris
 - ✕ Lungworms/Dictyocaulus
 - ✕ Hookworms
 - ✕ Threadworms
 - ✕ Whipworms
- External Parasite
 - o Ticks
 - o Lices & Mites
 - o Flea

DOSAGE :

1 ml per 4-5 kg body wt.

PRESENTATIONS :

30 ml & 1000 ml Suspension



MINFLUKE-DS

BOLUS

Each bolus contains :

Oxyclozanide	I.P.	4 gm
Levamisole Hydrochloride	I.P.	2 gm
Excipients		q.s.

INDICATIONS :

- » Helminthiasis – Worm Infestation.
 1. Trematodes Like
 - Liver Fluke
 - Amphistome
 2. Nematodes / Roundworms Like
 - Ascaris
 - Lungworms/Dictyocaulus
 - Hookworms
 - Threadworms
 - Whipworms
- » To Reduce the occurrence of Mastitis in Sheep

DOSAGE :

One Bolus / 400 kg body weight

PRESENTATION :

Single Bolus Strip



MINFLUKE-DS

SUSPENSION

Each ml contains :

Oxyclozanide	I.P.	6% w/v
Levamisole Hydrochloride	I.P.	3% w/v
Aqueous base		q.s.

INDICATIONS :

- » Helminthiasis – Worm Infestation.
 1. Trematodes Like
 - Liver Fluke
 - Amphistome
 2. Nematodes / Roundworms Like
 - Ascaris
 - Lungworms/Dictyocaulus
 - Hookworms
 - Threadworms
 - Whipworms
- » To Reduce the occurrence of Mastitis in Sheep

DOSAGE :

1 ml Per 5 kg Body Weight

PRESENTATIONS :

15ml, 100ml & 1000ml



MICROTONE

LIQUID

Each 5 ml contains :

Vitamin B ₂	1.25 mg
Vitamin B ₆	0.62 mg
D-Panthenol	0.65 mg
Vitamin B ₁₂	6.25 mcg
Nicotinamide	18.75 mg
Choline Chloride	10 mg
Lysine Mono HCl.	10 mg

Vitamins & Minerals Supplements Vitamins

RECOMMENDATIONS :

- Poor Growth in Calves
- Nervous Signs like
Convulsion
 - » Unsteady Gait
 - » Locomotive Disorders
- Muscular Weakness
- Alopecia
- Dermatitis
- Inadequate Milk Quality & Quantity
- Post Antibiotic Therapy
- After Deworming in Calves

DOSAGE :

- Young Animals – 20 ml Daily for 3 Weeks.
- Adult Animals – 40 to 50 ml Daily for 1 Week.

PRESENTATIONS :

500 ml, 1 Ltr. & 5 Ltr.



MICROTONE

INJECTION

Composition :

Each ml of Microtone Injection Contains

Thiamine (Vitamin B1)	10 mg
Riboflavin (Vitamin B2)	4 mg
Niacinamide (Vitamin B3)	40 mg
D-Panthenol (Vitamin B5)	6 mg
Pyridoxine (Vitamin B6)	4 mg
Cyanocobalamin (Vitamin B12)	8 mcg

INDICATIONS :

- Treatment or prevention of diverse disorders caused by Vitamins Deficiency

DOSAGE :

- 7-10 ml

Route of Administration :

- Intramuscular & Slow IV

PRESENTATION :

100 ml Vial



MICROTONE-PLUS

INJECTION

Each ml Contains

Thiamine	25 mg
Riboflavin	1.37 mg
Niacinamide	100 mg
D-Panthenol	5 mg
Pyridoxine	5 mg
Cyanocobalamin	30 mcg
Choline Chloride	15 mg
Liver Extract crude having Vitamin B12 activity eq. to not less than 2 mcg of Cyanocobalamin	
Phenol	0.5% w/v
Water for Injection	q.s.

INDICATIONS :

- Treatment or prevention of diverse disorders caused by Vitamins Deficiency

DOSAGE :

- 10 ml

Route of Administration :

- Intramuscular Only

PRESENTATION :

100 ml Vial



UDDER-H

INJECTION

Each ml. contains :

Vitamin A	I.P.	2,50,000 I.U.
Vitamin D3	I.P.	25,000 I.U.
Vitamin E Acetate	I.P.	100 I.U.
Biotin	USP	12.5 mcg.
Benzyl Alcohol	I.P.	2% w/v.
(As preservative)		
Sesame Oil	USP	q.s.

INDICATIONS :

- Mastitis
- Smaller Size Udder
- Uneven Quarter
- Weak Immunity
- Alopecia (Hair loss)
- Hyper-keratinization of Skin/ Dermatitis
- Anoestrous
- FMD Lesions
- Leaky Teats
- Sluggish Udder
- Cracks in Hoofs & Horns

DOSAGE :

10 ml. on Alternate Days

PRESENTATION :

10 ml vial



UDDER-H

LIQUID

Each ml contains :

Vitamin H (Biotin)	12.5 mcg
Vitamin C	50 mg
Vitamin A	20000 I.U.
Vitamin D3	10000 I.U.
Vitamin E	50 mg

RECOMMENDATIONS :

- Udder Development
- Leaky Teats
- FMD Lesions
- Immunity Boosting
- Anoestrus
- Cracks in Hoofs & Horns
- Udder Edema
- Alopecia (Loss of Hair)
- Mastitis (As a Supportive Therapy)

DOSAGE :

- Large Animals : 10 ml. daily.
- Small Animals : 2-5 ml. daily

PRESENTATIONS :

100 ml, 250 ml, 500 ml,
1 Ltr & 2 Ltr



UDDER-H GOLD

LIQUID

Each ml of Udder H Gold Liquid Contains :

Vitamin H (Biotin)	1200 mcg
Vitamin E	800 mg
Vitamin C	50 mg
Vitamin A	30,000 I.U.
Vitamin D3	20,000 I.U.
Chromium	0.2 mg
Selenium	0.2 mg
Zinc	18 mg
Methylcobalamin	1200 mcg

INDICATIONS :

- Uneven Udder
- Smaller Size Udder
- Sluggish Udder
- Udder Dermatitis
- Reproductive Disorders
- Skin Disease
- Leaky Teats
- Udder Edema
- Rough Hair Coat
- Heat Stress
- Laminitis
- Coliform Mastitis

DOSAGE :

- Large Animals : 10 ml daily
- Small Animals : 2-5 ml daily

PRESENTATION :

- 500 ml



Vitamins & Minerals
Supplements
Minerals

BIOBION GOLD

POWDER

Each 1.2 kg provides :

Dicalcium Phosphate	928 gm
Magnesium Carbonate	40 gm
Zinc Amino acid chelates	10 gm
Manganese Amino acid chelates	4 gm
Copper Amino acid chelates	3 gm
Potassium Iodide	1 gm
Mannan Oligosaccharide	50 gm
Bacillus Subtilis (5 Billion CFU/g) Base	20 gm q.s.

RECOMMENDATIONS :

- Anoestrus
- Silent Heat
- Improves Conception Rate
- Higher Milk Production with Increased Fat Percentage
- Enzootic Ataxia (Incoordination and Paralysis)
- To increase the Colostrum Quality & Quantity
- To Improve Postpartum Performance

FIXED MIXING RATIO :

Cattle Feed : 1.2 kg in 300 kg feed
Aqua Feed : 6 kg in 1500 kg feed

DOSAGE :

Heifers : 30-40 gm/day
Milch Animals : 50-60 gm/day

PRESENTATIONS :

1.2 kg, 5 kg, 10 kg
& 20 kg



GOLDPHOS

GRANULES

Composition

Each 100 gm of Goldphos Granules
Provides 50gm of Sodium Acid Phosphate
in the form of Protein Bound Granules

INDICATIONS :

- PPH
- Pica
- Infertility
- Lameness
- Milk Fever
- Rough Hair Coat
- Hypophosphatemia
- Decreased Reproductive Performance

DOSAGE :

Large Animals : 100 gm granules per day
Small Animals : 30 gm granules per day

PRESENTATIONS :

500 gm & 1 kg



CHELEMIN FORTE

POWDER

Composition :

Each 1 kg CHELEMIN FORTE Provides :-

Calcium	220 gm	Iodine	1000 mg
Phosphorous	110 gm	Sodium	6 mg
Zinc	2,200 mg	Vitamin A	7,50,000 I.U.
Manganese	1200 mg	Vitamin D ₃	1,50,000 I.U.
Copper	2,000 mg	Vitamin E	975 mg
Chromium	150 mg	L-Lysine	900 mg
Cobalt	100 mg	Methionine	190 mg
Magnesium	40,000 mg	Saccharomyces Sp.	10 Billion CFU
Iron	6,000 mg	Lactobacillus Sp.	10 Billion CFU

RECOMMENDATIONS :

- Anoestrus
- Silent Heat
- Repeat Breeding

FIXED MIXING RATIO :

1 Kg – 2 Kg to be mixed in 100 Kg feed
(Cattle, Aqua and Poultry)

DOSAGE :

Cow, Buffalo, Horse & Camel : 50 gm per day
Sheep, Goat & Pig : 15-20 gm per day

PRESENTATIONS :

1 kg & 25 kg



MINFERLIV

LIQUID

Each 100ml contains:

Iron Amino Acid Chelates	500 mg
Copper Amino Acid Chelates	400 mg
Cobalt Amino Acid Chelates	200 mg
Folic Acid	1 mg
Phytochemical whole Extracts of Phyllanthus emblica	500 mg
Phytochemical whole Extracts of Citrus sinensis	200 mg
Phytochemical whole Extracts of Beta vulgaris	200 mg
Phytochemical whole Extracts of Cinnamomum tamala	100 mg

INDICATIONS :

- Anaemia
- Debility
- Fatty Liver
- Hepatic Porphyrias
- In case of Blood Loss due to Accident or Any Surgery
- After Recovery from Chronic Disease/Illness
- Lethargy
- Tear Staining
- Liver Cirrhosis
- Theileriosis

DOSAGE :

- Large Animals: 40-50 ml /Day
- Small Animals: 15-20 ml /Day

PRESENTATIONS :

500 ml



SIMLAGE

BOLUS

Each bolus contains :

Tribasic Calcium Phosphate (Equivalent to 4.2 gm. of Ca ₃ (PO ₄) ₂)	4.8 gm
Vitamin D3	10000 I.U.
Vitamin B12	100 mcg
Vitamin E	25 mg
Vitamin H (BIOTIN)	100 mcg
Magnesium	20 mg
L-Lysine	125 mg
Leptadenia reticulata (Jivanti)	350 mg
Asparagus racemosus (Shatavari)	2500 mg

Galacto-gogue

RECOMMENDATIONS :

- Agalactia
- Failure of Let –Down of Milk
- Irregular or Suppressed Lactation
- Metabolic disorders –Milk Fever
- Prolapse of Uterus and Vagina
- Premature Calving

DOSAGE :

1 Bolus twice a day for 10 days

PRESENTATION :

1 Boli strip
20 Boli in a box



SIMLAGE HERBS

BOLUS

Composition

Each Uncoated Bolus Contains :

Elemental Calcium	300 mg
Elemental Phosphorus	150 mg
Vitamin A	6300 I.U.
Vitamin D3	630 I.U.
Vitamin H	100 mcg
Leptadenia reticulata (Jivanti)	1800 mg
Asparagus racemosus (Shatavari)	500 mg
Withania somnifera (Ashwagandha)	1300 mg
Nordostachys jatamansi (Jatamansi)	600 mg
Rauwolfia serpentina (Sarpagandha)	100 mg
Valeriana wallichii (Tagara)	100 mg
Trigonella foenum-graecum (Methi)	1000 mg

DOSAGE :


2 Bolus Twice Daily for three days,
30-45 min Prior to Milking

Recommendations :

1. Failure of Let down of Milk in case of -
 - Abortion or Pre-mature calving in Advance Gestation (Decreased Milk Yield due to inadequate Dry Period)
 - Psychological Agalactia, Because of
 - ❖ Death of the Calf
 - ❖ Change in Place/Owner
 - Anxiety or Stress due to
 - ❖ Vaccination
 - ❖ Climate Change
 - ❖ Transportation
 - ❖ Any Veterinary Therapy
2. In case of Suppressed Lactation due to Peripheral Inhibition
3. Poor Milk Yield in case of Absence of Dry Period
4. To Get Rid off Oxytocin Injection
5. When Animals are Agitated during Milking or Beaten by the Owner

PRESENTATION :

12 x 1 Bolus



SIMLAGE-L

INJECTION

Each ml contains :

Calcium Levulinate	IP	76.4mg
Cholecalciferol	IP	5000 IU
Cyanocobalamin	IP	50mcg
Benzyl Alcohol	IP	1.5% V/V
Water For Injection	IP	q.s.

Co-Prescribe In :

- Acute Calcium Deficiency
- Milk Fever
- Uterine and Vaginal Prolapse
- Retention of Placenta
- Hypothermia
- Rickets and Osteomalacia

DOSAGE :

Large Animals: 15ml on alternate days
Small Animals : 1-2ml on alternate days

ROUTE :

IM only

PRESENTATION :

100 ml vial



Growth &
Sexual Maturity

PUBERAID

POWDER

Each 1 Kg provides :

Dicalcium phosphate	300 gm
Zinc Amino Acid Chelates	8 gm
Manganese Amino Acid Chelates	3.50 gm
Copper Amino Acid Chelates	0.5 gm
Vitamin A	10,00,000 I.U.
Vitamin D3	2,00,000 I.U.
Vitamin E	800 I.U.
Fermented Yeast Culture	60 gm
(Fortified with Omega-3 & 6 Fatty Acids)	
Curcuma longa	25 gm
Base	q.s.

RECOMMENDATIONS :

- Delayed Puberty and Sexual Maturity (Male & Female)
- To Improve Reproductive Performance of Animals (Male & Female)
- To Achieve Proper Body weight & BCS (Male & Female)
- For Development of Reproductive Organs (Male & Female)
- Lack of libido in Males
- Improve Sperm Quality & Quantity in Males
- To have Prize winning Animals for Exhibition (Male & Female)

DOSAGE :

Young Animals : 40 gm per day
(Male or Female)

PRESENTATIONS :

1 Kg, 2.5 Kg & 5 Kg



Gynaecological Conditions

UTRAWIN

LIQUID

Each 10 ml. contains :

Circullus coloyntis schrad	200 mg
Zingiber officinate rose	200 mg
Trigonella foenum graccum	200 mg
Plumbago zeylancia	200 mg
Withunia somnifra dunal	100 mg
Leptadenia reticulata	350 mg
Saraca asoca de wilde	700 mg
Gossypium herbaccum	200 mg
Alva vera tourn	200 mg
Paganum hermal	500 mg
Gloriosa	250 mg
Aristolochia indica	250 mg
Nigella sativa	500 mg
Abroma augusta	500 mg
Goor	q.s.

INDICATIONS :

- Metritis
- Vaginitis
- Pyometra
- Cervicitis
- Endometritis
- Repeat Breeding
- Retention of Placenta
- Delayed Uterine Involution

DOSAGE :

For Retention of Placenta

- Large Animals :
250 ml After Every Two Hours
- Small Animals :
100 ml After Every Two Hours

For Regular Cleansing of Uterus

- Large Animals :
100 ml Daily for 10 Days
- Small Animals :
20-50 ml Daily for 10 Days

PRESENTATION :

500ml & 1 Litre



UTRAWIN-OZ

I.U.

Each 5 ml. contains :

Ofloxacin	I.P.	50 mg
Ornidazole	I.P.	125 mg
Povidone Iodine	I.P.	50 mg
Urea Liquid	I.P.	500 mg

INDICATIONS :

- After Handling Dystocia
- Metritis
- Cervicitis
- After Abortion (due to Any Kind of Infection)
- Pyometra
- Vaginitis
- Retained Placenta
- Repeat Breeding
- Uterine Prolapse (Washing Aid)

DOSAGE :

Adult Animals : 100 ml by Intra - Uterine Route

Hiefers : 50 ml by Intra - Uterine Route or

As Directed by the Veterinarian

PRESENTATIONS :

60 ml, 100 ml & 300 ml



GESTAPROGEN

POWDER

Each 250 gm contains :	Putranjiva	4 gm	
Katuphal	6 gm	Kalabol	4 gm
Shrungatak	6 gm	Kumud	4 gm
Shatamuli	6 gm	Kaseruk	3 gm
Shataparva	2 gm	Base	q.s.

RECOMMENDATIONS :

- Repeat Breeding
- Habitual or Recurrent Abortion
- Threatened Abortion at any Stage of Gestation (1st, 2nd or 3rd Trimester)
- Prolapse – To Tone up & Strengthen the Uterine Muscles
- After A.I or Natural Mating
- For Maintenance of Progesterone Hormone Level during Pregnancy
- To prevent abortion due to vaccination
- To Prevent the Risk of Abortion in Animals having History of Abortion & Post Parturient Disorders
- After Treatment of Metritis
- To prevent Metestrus Bleeding

DOSAGE :

Cow, Buffalo, Camel & Mare :

50 gm per day

Sheep & Goat : 10 – 15 gm per day

PRESENTATIONS :

250 gm, 500 gm & 1 kg



ANISONE

INJECTION

Each ml. contains :
Betamethasone Sodium Phosphate
Equi. to Betamethasone 4 mg

Anti-inflammatory
& Analgesics

Co-Prescribe In :

- Shock & Circulatory Collapse
- Ketosis
- Mastitis
- High Fever
- Milk Fever
- Along with Antibiotic
- Along with I/V Calcium
- For Induction of Parturition in Dystocia
- Inflammatory Conditions :
 - » Arthritis
 - » Allergic Reactions
 - » Ulcerative Colitis
 - » Lupus

DOSAGE :

2.5 ml for Large Animals

ROUTE :

IM / IV

PRESENTATION :

15 ml



NPC FORTE

BOLUS

Each bolus contains :

Nimesulide	750 mg
Paracetamol	1500 mg
Chlorzoxazone	1000 mg

INDICATIONS :

- Fracture
- Arthritis
- Rheumatism
- Muscle fatigue
- Dehorning
- Castration
- Colic or abdominal pain
- Fever
- Trauma or Accident
- Muscle Spasm
- After Handling Dystocia or ROP
- Lameness
- Three Day Sickness
- Post Surgical Condition

**Appetite
Stimulant & Energiser**

DOSAGE :

Large Animals : 2 Bolus Twice Daily

Small Animals : 1 Bolus Twice Daily

PRESENTATION :

4 Bolus Strip.
15 strips in a box



DIGAMAX

POWDER

Each 100 g provides :

Fermented live yeast culture enriched with
 feed and fibre digesting enzymes 33.5 gm
 Bacillus amyloliquifaciens 6.75 Billion CFU
 Bacillus subtilis 6.75 Billion CFU
 Propionibacterium freudenreichii 6.75 Billion CFU
 HSCAS base q.s.

RECOMMENDATIONS :

- Anorexia
- Irregular Appetite
- Nitrate Toxicity
- Reticuloperitonitis
- Excessive Feeding of Concentrates
- Excessive Urea in Milk
- Loose Dung
- Prevention of Mastitis
- Excessive use of Antibiotics

DOSAGE :

Small Animals : 5-10 gm Daily
 Large Animals : 10-20 gm Daily

PRESENTATIONS :

300 gm, 1 kg & 5 kg



DIGAMAX

FORTE BOLUS

Each Bolus provides :

Live yeast culture 17.5 Billion CFU
 Bovizyme 500 mg
 Propionibacterium freudenreichii 100 mg
 Sea flora 1000 mg

RECOMMENDATIONS :

- Dysbiosis due to Antibiotic Therapy
- Dysbiosis due to Sudden Diet Change
- Inappetance or Anorexia due to any unknown Reason
- In any kind of Infectious Disease
 (Reduces Intensity & Length of Disease)

DOSAGE :

Large Animals : 1-2 Boli twice daily
 Small Animals : 1/2-1 Boli twice daily

PRESENTATION :

4 Bolus in a strip
 20 Strips in a Box



ENERBOOST

POWDER

Each Kg provides :

Rumen bypass fat	150 gm
Rumen bypass protein	10 gm
Calcium propionate	20 gm
Fermented Yeast culture	50 gm
Available calcium	15 gm

INDICATIONS : Negative Energy Balance that results in -

- Ketosis
- Poor Reproductive Performance
- Agalactia Immediately after Calving
- After Abortion in the Last Gestation Phase
- For Early Peak & Sustained Milk Production
- Loss of Body weight during the Lactation Period
- Less Milk Yield as compared to the last Lactation
- Poor Fat Percentage in Milk • Milk Fever (As Supportive)

Dosage :

- Large Animals :
 - 100 gm Daily For 15 Days Before Calving
 - 100 gm Twice Daily For One Week Immediately after Calving
 - 100 gm Daily after one Week of calving up to three weeks
- Small Animals :
 - Half the Dose of Large Animals

PRESENTATIONS :

1 kg, 5 kg, 10 kg & 20 kg



ORS POWDER

COOLMAX

POWDER

Each 100 gm. contains :

Calcium Lactate	1 gm
Potassium Chloride	4 gm
Magnesium Sulphate	4.5 gm
Sodium Chloride	0.8 gm
Sodium Bicarbonate	0.7 gm
Sodium Citrate	3 gm
Dextrose	39.1 gm
Chromium	900 mg
Water soluble Carbohydrate	41 gm
Lactobacillus sporogenes	1500 million spores
Vitamin C	4 gm

INDICATIONS :

- Electrolyte Imbalance
- Dehydration
- Diarrhoea
- Vomiting (in Dogs)
- Heat Stress
- Heat Stroke
- Acidosis/ Alkalosis
- Gasping conditions
- Fever
- Excessive Urination
- Extreme Panting & Drooling of Saliva
- After repeated administration of corticosteroids
- Anestrous in Summer along with Mineral Mixture
- Co- prescribed with Goldphos (additional recovery aid to Hemoglobinuria)

DOSAGE & ADMINISTRATION :

Cow/ Buffalo/ Horse/ Camel : 50 gm per day
Calves/ Sheep/ Goat/ Dog : 20-30 gm per day

PRESENTATIONS :

500 gm, 1 kg & 5 kg



Cellular
Rejuvenator

NUCLEOTONE

POWDER

Each 200 gm provides:

Nucleotides	20 gm
Bacillus subtilis	50 Billion CFU
Protein base	170 gm

RECOMMENDATIONS :

1. Infectious Conditions like :-

- Mastitis & Fibrosis
- Sheep Pox
- Calf Scour / Diarrhoea
- Foot & Mouth Disease (FMD)
- Repeat Breeding due to Metritis
- After Vaccination - Increase Antibody formation
- Post Surgical Conditions & Accidental Wounds
- In Absence of Colostrum, provides Passive Immunity
- Restore Gut Health in Piglets & Calves
- Controls Residual Effect of Antibiotics in Milk & Meat
- Proliferation of Lactic Acid Bacteria in Monogastric Animals
- Boost Animal Performance & Milk Yield

DOSAGE :

Large Animals : 10-20 gm. per day

Small Animals : 5 - 10 gm per day

PRESENTATION :

200 gm.



Toxin
Eliminator

TOXOUT

POWDER

***A Combination of Neem Leaf,
Sodium Formate, Activated Charcoal
& Phyllosilicates***

RECOMMENDATIONS :

- Toxins & Poison
- Loose Dung
- Mycotoxicosis
- Suppressed Immunity
- Lead toxicity
- Nitrate toxicity
- Blue algae toxicity
- For Clean Milk & Meat Production
- Mycotoxicosis due to Silage feeding
- Resistance or Non-responsive to any Therapy due to Underlying Infection
- Excessive feeding of greasy & moulded food to the animal
- When animal exposed to the toxic paint and wood stains
- After feeding pesticide or herbicide sprayed fodder to the animal

DOSAGE :

- Large Animals : 50g/Day
- Small Animals : 25g/Day
- 1.5 – 2 Kg per ton of Feed

PRESENTATIONS :

1 kg & 25 Kg



ANTIBIOTIC

BENZAWIN

L.A.

4.8MIU INJECTION

Each vial contains :
Benzathine Benzylpenicillin IP 4.8 MIU

RECOMMENDATIONS :

- Abscess
- Calf Pneumonia
- Dehorning
- Respiratory Infection
- Sub-Clinical Mastitis
- Co-Prescribe in Clinical Mastitis

DOSAGE :

6650 units Per kg B.W.
Route : Deep I.M.

PRESENTATION :

4.8MIU INJECTION



CONSIGNEE AGENTS

HARYANA: Branch Office

- 1.) Animax Pharma Pvt. Ltd.
Shiv Nagar, Bhiwani Road,
Rohtak
Ph:- 01262-278820, 9991752820

RAJASTHAN

- 2.) Soni Distributors
Plot No. 6, Basant Vihar,
Panchyawala Bajri Mandi,
Jaipur
Ph:- 0141-4040625, 7221072210

PUNJAB

- 3.) Gupta Medical Hall
Opp. P.W.D. office
College Road
Barnala
Ph:- 01679-230585, 9855108585

UTTAR PRADESH

- 4.) Gunjan Pharma Distributors
Opp. Raghuveer Puri Police Chowki
Saray Lawariya,
Aligarh - 202001
Ph. : 8053441835, 9027172184